

TD215

3mm Bezel 21.5 Inch IP65 rated Touch / Non-Touch Display




TD215 - 3mm Bezel 21.5 Inch Display

The TeleDelta TD215 is a metal framed IP65 rated slim bezel (3mm) Full HD 1920x1080 LED Display for wall and desktop mounting applications, available with embedded PC and touch / non- touch options.

Key Features

- Slim Bezel Design (3mm) for flush mount applications
- IP65rated front panel for water and dust protection
- Capacitive Touch or Resistive Touch (optional)
- Full HD 1920x1080 Resolution support via HDMI Input
- Embedded PC (Intel j1900, I3, I5 or I7) optional
- Black Chassis colour scheme
- VESA75 and VESA100 Mounting Options



For more information please contact your local distributor or sales@teledelta.com

TD215

3mm Bezel 21.5 Inch IP65 rated Touch / Non-Touch Display



Above: Rear Panel View with embedded PC

Technical Details.

Display

Size	21.5 Inch - 16:9 Widescreen Resolution supports 1920x1080, LCD Backlit Display, Active Area(477mm x 268mm)
Touch-Screen	Capacitive Touch or Resistive Touch Optional
Protection	IP65 Rated Front Panel
Colours	16.7M
Contrast	1000:1
Display Brightness	400cd/m
Viewing Angle	Horizontal 85°, Vertical 85°
Backlight	LED Backlit Screen - 50,000hours
Response Time	10ms
Interface	HDMI, DVI, VGA

Embedded PC

CPU	Intel Celeron J1900 2Ghz Quad-Core, Optional Intel I3, I5, I5
Hard-drive	32Gb (SSD) - Optional 64Gb / 500Gb HDD
RAM	2G DDR3 - (Support Up to 8G DDR3 optional)
Network	Integrated RJ45 Gigabit LAN and Wi-Fi Antenna
Audio	Audio Interface I/O
USB	USB2.0 x 3, USB3.0 x1
RS232	COM x2 (Optional 422/485)
OS Support	Windows, Linux, Android


General

Operating Temp	-10°C - 60°C
Relative Humidity	0 - 70%
Power Consumption	12V 5AMP (60W maximum)
Chassis	Aluminium Alloy - Black
Mounting	VESA 75mm and VESA 100mm
Operating Rating	24 hours day

TD215

3mm Bezel 21.5 Inch IP65 rated Touch / Non-Touch Display

Dimensions:



VESA Mounting Holes: M4

Ordering Information:

Part No.	Description
Display	
TD215	21.5 Inch Full HD (1920x1080) 16:9 Aspect Ratio LCD Display (50,000hours rated) - Aluminium Black Housing with 3mm slimline bezel. 400Nit Brightness, HDMI, DVI/ VGA Video Input + Audio O/I, RS232 and USB2.0 Input. 12V DC Input


Models:

TD215	As above Specification
TD215-CPU*	Same as TD215 with Embedded PC
TD215-CAP	Same as TD215 with Capacitive Touch Function
TD215-RES	Same as TD215 with Resistive Touch Function
TD215-CAP-CPU*	Same as TD215 with Capacitive Touch and Embedded PC
TD215-RES-CPU*	Same as TD215 with Resistive Touch and Embedded PC

Options:

USB3.0	Optional USB3.0 Upgrade (USB2.0 Standard) - applicable to non-PC models
RS422 / RS485	Optional RS422 / RS485 Additional (RS232 Standard)

*Embedded PC specifications may change - please contact TeleDelta for current hardware configuration



For more information please contact your local distributor or sales@teledelta.com